Journal of Engineering Research and Reports

7(1): 1-8, 2019; Article no.JERR.51452



R. Gomba^{1*}, M. Gogom¹ and D. Lilonga-Boyenga¹

¹Laboratoire de Génie Electrique et Electronique, Ecole Nationale Supérieure Polytechnique, Université Marien Ngouabi, BP 69 Brazzaville, Congo.

Authors' contributions

This work was carried out in collaboration among all authors. Author RG designed the study, performed the analysis and wrote the first draft of the manuscript. Author MG managed the literature searches. Author DLB managed the analyses of the study. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JERR/2019/v7i116963 <u>Editor(s):</u> (1) Dr. P. Elangovan, Associate Professor, Department of EEE, Sreenivasa Institute of Technology and Management Studies, Chittoor, Andhra Pradesh, India. <u>Reviewers:</u> (1) Şükrü Kitiş, Dumlupınar University, Turkey. (2) Kiran D. Devade, Pune University, India. Complete Peer review History: <u>http://www.sdiarticle4.com/review-history/51452</u>

Original Research Article

Received 12 July 2019 Accepted 14 September 2019 Published 20 September 2019

ABSTRACT

The temperature increase causes a heating of the line conductors which is at the origin of the tension drops and the losses joule increases in line which cause a dilation of the line conductors. In this paper, we investigate of the ambient temperature influence on some quantities of power lines, including line resistance, line voltage drops, joule losses, and line deflection. The interest of this study is to predict the impact of the temperature rise on the electrical network working in order to optimize the transit of the electrical energy which satisfied the thermic limits of the lines.

Keywords: Ambient temperature; effects; high voltage; power line.

1. INTRODUCTION

The overhead power line is designed to carry electrical energy. It is sized according to the

intensity of the current flowing through it [1]. This current must satisfy the thermal limits of the conductor. Except for this constraint, line conductors are faced with another challenge,

*Corresponding author: Email: gombarodolphe@gmail.com;



- the durability of the line would be compromised by early ageing of the conductors and sleeves;
- the safety of people and property would be jeopardized by the increase of line deflection;
- the increased conductor impedance and voltage drops would cause more drop in voltage and Joule losses.

This recurring phenomenon in sub-Saharan countries requires a study to propose a rational exploitation of electricity networks. Thus, it is one challenge to evaluate the rise in the temperature of the conductors carrying the electricity in order to optimize the admissible current intensity according to the ambient environment.

2. METHODOLOGY

2.1 Steady Overhead Line Temperature

In this study, we will focus on an underground cable having a sheath made of several insulating layers shown in Fig. 1 [3], which gives an illustration of a cable from the thermic point of

view. From this representation, we will deduce the thermic situation of an overhead line whose conductors are bare and exposed to the open air.

Assuming that the dielectric losses are uniformly distributed in the insulator and can be considered as being applied in the insulation thermic resistances T1 shells on the one part, and the thermic resistances of the metallic coatings are negligible compared to those of the other elements of on the other hand, the rise in temperature θ_p - θ_0 and the current intensity Ip are related by the relation [3]:

$$\begin{split} \theta_{p} &- \theta_{0} = \left[\left(RI_{p}^{2} + \frac{1}{2}W_{d} \right) T_{1} + \begin{bmatrix} RI_{p}^{2}(1+\lambda_{1}) \\ +W_{d} \end{bmatrix} nT_{2} \\ &+ \begin{bmatrix} RI_{p}^{2}(1+\lambda_{1}+\lambda_{2}) \\ +W_{d} \end{bmatrix} n(T_{3}+T_{4}) \end{bmatrix} 10^{-5} (1) \end{split}$$

In the case of overhead lines, conductors are naked, in the open air. There is no armor or screen. In addition, the different layers of the underground cable are considered as air. Thus, the thermic resistances are the same and equal to the air thermic resistance T_a as well as the loss ratios. On the assumption that:

$$T_a = T_1 = T_2 = T_3 = T_4$$
 and $\lambda_a = \lambda_1 = \lambda_2$

 λ_a , being the losses ratio air to losses joules in the conductors.



Fig. 1. Thermic representation of a cable

Ip: Intensity of permissible current in a conductor (A); θ p: permissible temperature on the core (°C); θ_0 : ambient temperature (°C); R: resistance of a conductor at the permissible temperature (Ω/m); Wd: dielectric losses in the conductor insulation (W / m); T1: the conductor insulation thermic resistance (K.m / W); T2: the inner sheath thermic resistance (K.m / W); T3: the outer thermic resistance (K.m / W); T4: the environment thermic resistance (K.m/W); n: number of conductors actually traveled by the current; λ_1 : losses ratio in the screen to losses joule in conductors; λ_2 : losses ratio in armor to losses joule in conductors

Equation (1) then becomes:

By denoting, by α , the temperature coefficient, the conductors resistance R at the permissible temperature θ_p is given by [4]: $R = R_0 [1 + \alpha \theta_p - \theta_0]$.

Joule losses typically account for about 80% of losses in a high-voltage transmission system [5]. One sees immediately that $W_d \ll RI_p^2$, and that the term $\frac{W_d}{RI_p^2} \frac{6n+1}{5n\lambda_a+3n+1}$ is negligible compared to 1.

Under these conditions, equation 2 can be written:

$$\theta_{\rm p} - \theta_0 = \mathrm{KRI}_{\rm p}^2 \tag{3}$$

with $K = (5n\lambda_a + 3n + 1)T_a 10^{-5}$

Since the rise in the conductor temperature θ is proportional to the amount of energy consumed by the Joule effect, the variation in the conductor temperature as a function of the current intensity I flowing through it is given by [6]:

$$\theta - \theta_0 = KR_{\theta}I^2 \tag{4}$$

where

 $R_{\theta} = R_0 [1 + \alpha(\theta - \theta_0)]$, denotes the conductor resistance to the temperature θ ; with relations (3) et (4) we obtain :

$$\frac{\theta - \theta_{o}}{\theta_{p} - \theta_{o}} = \frac{1 + \alpha(\theta - \theta_{0})}{1 + \alpha(\theta_{p} - \theta_{0})} \frac{I^{2}}{I_{p}^{2}}$$
(5)

The equation's resolution (5) makes it possible to determine the conductor temperature θ .

$$\theta = \theta_{o} + \frac{1}{\left(\alpha + \frac{1}{\theta_{p} - \theta_{o}}\right) \left(\frac{I_{p}}{I}\right)^{2} - \alpha}$$
(6)

2.2 Correlations between Ambient Temperature and Power Line Resistance

The electrical conductor resistance expresses the difficulty that this material presents when the electrical current flows [7].

It is established that at the frequency of 50 Hertz, the skin effect and proximity are considered

negligible. Under these conditions, the electrical resistance in alternating current is practically equivalent to that in continuous current.

Given the temperature variation also causes that of a conductor length of by linear expansion effect, the electrical conductor resistance of length L to the temperature is [8]:

$$R_{\theta} = \frac{\rho_{\theta} L_{\theta}}{S} \tag{7}$$

For a length conductor L, placed in an ambient temperature environment θ_o , the resistivity and the conductor's length are given by:

$$\begin{cases} \rho_{\theta} = \rho_{o} [1 + \alpha(\theta - \theta_{o})] \\ L_{\theta} = L_{o} [1 + \lambda(\theta - \theta_{o})] \end{cases}$$
(8)

 λ , is the expansion linear coefficient ($\lambda{=}23.10^{\text{-}6}$ °C^{\text{-}1} for the almelec [9].)

Taking into account (8), relation (7) is written:

$$R_{\theta} = R_{o}. K(\theta, \theta_{o})$$
(9)

with $K(\theta, \theta_o) = [1 + \alpha(\theta - \theta_o)][1 + \lambda(\theta - \theta_o)]$ and $R_o = \frac{\rho_o L_o}{c}$

2.3 Correlations between Ambient Temperature and Voltage Drops

The voltage drops per unit of length are calculated according to the classical formula [10]:

$$\Delta U = \sqrt{3} Z I \tag{10}$$

where I is the current through the line and Z is the line impedance at the temperature line θ .

The approximate formula given in relation (11) shows that all the parameters defining the reactance have a practically negligible variation with temperature [11]. The reactance can therefore be considered as a constant compared with the temperature and given by:

$$X_{c} = 2\pi f \left[K' + 0.2 \ln \left(\frac{2s}{d_{c}} \right) \right] \times 10^{-3}$$
(11)

where X_c is the conductor inductive reactance (Ω / km), f, the frequency (Hz), s, the space between the conductor axes (mm), d_c , the conductor diameter (mm) and K', the constant which depends on the conductors shape.

Gomba et al.; JERR, 7(1): 1-8, 2019; Article no.JERR.51452

The voltage drop will be written:

$$\Delta U = \sqrt{3} I \sqrt{R_o^2 [K(\theta, \theta_o)]^2 + X_c^2}$$
(12)

2.4 Correlations between Ambient Temperature and Electrical Deflection Line

By deflection is meaning the vertical distance between the line joining the two points of suspension and the conductor. In the case of the HV overhead lines, the average ranges are between 300 and 400 m [12].

The line deflection is given by the classical relation [13]:

$$f_n = \frac{P^2}{8a}$$
(13)

where P is the conductor length over a range and a, a constant.

The increase in the temperature of the active conductors causing the linear dilation of these conductors, the line deflection line will consequently grow. The relation (13) becomes then:

$$\frac{f_n}{f_0} = [1 + \lambda(\theta - \theta_0)]^2 \tag{14}$$

 $f_0 = \frac{P_0^2}{8a}$, being the deflection expression at ambient temperature θ_0 .

3. RESULTS AND DISCUSSION

The Applications of our theoretical approach are made on the Ngo-Djiri power line in the Republic of Congo. Connecting the Ngo substation in the Plateaux Department and the Djiri station in Brazzaville. This line is in almelec with 500 mm² of section, 208 km of length and a voltage of 220 kV.

The line resistance values R and its reactance X at the temperature of 20°C are respectively 13.3 Ω and 83.2 Ω . The Djiri substation has two transformers with a capacity of 45 MVA each one, that is 90 MVA for a total power.

In this part, we present the results obtained on the correlation between the ambient temperature and the main parameters of this line, their analysis and discussion.

3.1 Effect of Ambient Temperature on Conductors Temperature

From the relation (6) and taking into account the maximum value of the current intensity to be transported on the Ngo-Djiri line, as well as the permissible temperature for the high-voltage lines ($\theta p = 70^{\circ}C$), we represent, in Fig. 2, the variation curve of the conductors temperature versus the ambient temperature. This curve shows that the temperature of conductors increases linearly with ambient temperature. We also interest to the difference between the and temperature of conductors ambient temperature. The Fig. 3 shows that it



Fig. 2. Variation in the temperature of conductors



Fig. 3. Temperature difference

is negligible. One can note that, the maximum difference between the conductor's temperature and that of the surrounding environment (Fig. 3) does not exceed 3°C

3.2 Effect of the Line Current on the Conductors Temperature

From relation (6) and fixing the ambient temperature value, we represented in Fig. 4, the conductors temperature variation versus current intensity passing through the Ngo-Djiri line.

The Fig. 4 shows that the conductors temperature of a power line increases exponentially with respect to the current intensity flowing on the line. In addition, the convergence

of all the curves at different ambient temperature levels is only possible when the current flowing on the line reaches the admissible current value of 1000 A.

3.3 Effect of Ambient Temperature on Electrical Conductors Resistance

To determine the ambient temperature effect on the electrical resistance of the line conductors, we calculated the conductors resistances R_{θ} from the relation (9) for different temperature values. The results are consigned in Table 1. The Fig. 5 illustrates the variation of electrical conductors resistance as a function of the ambient temperature.



Fig. 4. Conductor temperature according to the current intensity

Ambient temperature	20°C	28°C	32°C	37°C	40°C
Ratio K	1.0090	1.0077	1.0070	1.0062	1.0057
Resistance (Ω)	13.417	13.829	14.0501	14.290	14.443

Table 1. Electrical resistance of conductors

This Fig. 5 shows that the variation curve of the electrical resistance increases linearly with the ambient temperature, consequently, an increase in losses by joule effect on the line. By analyzing the values of the ratio k presented in Table 1, K is almost equal to 1. We can thus conclude that in the case of the Ngo-Djiri line, the ambient temperature has minor effects on the conductors electrical resistance.

3.4 Effect of Ambient Temperature on Deflection and Drops Voltages

In the assumption that the ration K is approximately equal to 1 for any ambient temperature lower or equal to 40°C, from the

equations (12) and (14), we have evaluated the line deflection and drops voltages. The obtained results are shown in Table 2. This allowed us to represent the curves of voltage drops and their deviation versus the ambient temperature as shown in Figs. 6, 7 and 8.

The results in Table 2 show that the ratio of the deflection $\left(\frac{f_n}{f_0}\right)$ to any conductor temperature θ relative to that of the ambient environment varies very slightly as a function of the ambient temperature.

The Fig. 6 shows that the ambient temperature causes a quasi-linear increase of the voltage



Fig. 5. Variation of electrical resistance



Fig. 6. Variation of voltage drops

Ambient temperature (°C)	20	28	32	37	40
Resistance (Ω)	13.4170	13.8293	14.0501	14.2909	14.4438
Reactance (Ω)	83.2	83.2	83.2	83.2	83.2
$\Delta \mathbf{U}(\mathbf{kV})$	33.5653	33.5930	33.6100	33.6300	33.6350
Voltage difference (kV)	0	0.0277	0.0447	0.0647	0.0700
Ratio of the deflection f_n/f_0	1.0001	1.00008	1.00008	1.00007	1.00006

Table 2. Voltage drops on the Ngo-Djiri line at different temperature levels



Fig. 7. Difference of drops voltages



Fig. 8. Voltage drops and deviation of voltage drops

drops on a power line. However, the Fig. 7 shows that, with the ambient temperature variation, the voltage drops deviations do not exceed 0.07 kV, which means 0.03% of the nominal voltage over the entire Ngo-Djiri line. This voltage drop level will not influence the operation of this line since in many literature of high voltage electrical networks, the allowable voltage variations are of the order of ± 5% of the nominal voltage. The Fig. 8 represents the voltage drops curves and their deviation. As one can see, these quantities are

almost constant when the ambient temperature varies.

4. CONCLUSION

The study conducted in this work shows that the ambient temperature can have a considerable effect on certain parameters of a high voltage power line such as the conductors temperature and the conductors electrical resistance. However, the application to the Ngo-Djiri line shows that the effects of the ambient temperature on the electrical resistance are minor, therefore negligible on the deflection line and on the voltage drops.

It is therefore likely that in other environment. lines identical with of or nonidentical characteristics that this influence is not negligible. The electrical networks operators are, for this purpose, invited to take into account the temperature of environment traversed by an electrical line in order to guarantee a stability in the management of the electrical networks.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- 1. Lilien JL. Transport et Distribution de l'énergie électrique. 2013;5.
- Chanal André. Sizing overhead lines, treated electrical engineering; 1992. D 4421.
- 3. Silec-general Catalog. Insulated Cables and Power Connection Materials; 1991.

- 4. Mc Graw-Hill. Standard Handbook for Electrical Engineers. 12th edition; 1987.
- 5. Belali Saïd, mechanical calculation of overhead lines; 2008.
- 6. Gomba Rodolphe. Influence of atmospheric phenomena on the electrical network of Congo; 2018.
- 7. Moore GF. Electrical cables handbook. Third Edition; 1997.
- Roland Auber, Claude Rémond. "Installation électrique". 1994;9. D5038.
- Chanal André JP Leveque. Lignes aériennes. Conducteurs et cable de garde. 2008;3.
- Vanilla Sandra Tefeguim. Etude de la construction d'une ligne électrique Hautetension 90 kV PA-WONA; 2014.
- 11. IEC 60287-1-1, Electrical cables calculation of current rating; 2006.
- Fichtner. Etude pour Mise sous Tension des Lignes Imboulou-Ngo-Djiri-Tsielampo; 2009.
- 13. Chanal André. Presentation and calculation on overhead lines, treated electrical engineering. 1992;11. D 4420.

© 2019 Gomba et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: http://www.sdiarticle4.com/review-history/51452